



GENERAL NOTES

- G.C. SHALL PATCH AND REPAIR INTERIOR & EXTERIOR FLOORS, WALLS, & CEILING AREAS WHERE WORK IS BEING PERFORMED. PREPARE SURFACES TO RECEIVE NEW FINISHES AS REQUIRED.
- G.C. SHALL UTILIZE FINISH MATERIALS TO MATCH EXISTING FINISHES AT PROPOSED AREAS OF NEW CONSTRUCTION UNLESS OTHERWISE SPECIFIED.
- G.C. SHALL COORDINATE AS REQUIRED WITH LANDLORD AND ARCHITECT PRIOR TO EXECUTING WORK.
- G.C. SHALL PATCH AND REPAIR ANY EXISTING FINISHES OR SURFACES TO REMAIN THAT ARE DAMAGED DURING CONSTRUCTION.
- G.C. TO MAINTAIN WEATHER-TIGHT BUILDING AT ALL TIMES DURING CONSTRUCTION.
- ALL UNUSED ELECTRICAL CONDUIT & UNUSED DATA / PHONE CABLING TO BE REMOVED. REMOVE ALL UNUSED ELECTRICAL OUTLETS AND SWITCHES.
- STENCIL ON ALL RATED WALL THE FOLLOWING:
FIRE AND SMOKE BARRIER PROTECT ALL OPENINGS SUCH SIGNS OR STENCILING SHALL BE IN 4" HIGH LETTERS, 1/2" INCH STROKE, AND NOT MORE THAN 15 FEET ON-CENTER. (NFPA 101 CHAPTER 8 SECTION 8.3.2.4)



L4 ELEVATION
1/4" = 1'-0"




J4 ELEVATION
1/4" = 1'-0"

FLOOR PLAN KEY NOTES

- FILL IN WHERE EXISTING DOOR HAS BEEN REMOVED AND/OR EXISTING OPENINGS. PROVIDE CONTINUOUS SURFACE TO MATCH EXISTING.
- EXISTING KITCHEN CABINET AND SINK TO REMAIN.
- FILL IN CABINET OPENING WITH NEW LOWER CABINET, CABINET DOOR, SHELF AND BASE TO MATCH EXISTING.
- REFRIGERATOR LOCATION. ALL APPLIANCES TO BE PROVIDED AND INSTALLED BY TENANT.
- VENDING MACHINES - TO BE PROVIDED AND INSTALLED BY TENANT.
- PROVIDE 18"x30" MIRROR WHERE MIRROR HAS BEEN MISSING, TYP.
- PROVIDE TOILET PAPER DISPENSER WHERE DISPENSER HAS BEEN REMOVED, TYP. G.C. TO VERIFY ALL TOILET ACCESSORIES AND PROVIDE MISSING.
- EXISTING WATER CLOSETS, SINKS, TOILET PARTITIONS, DRINKING FOUNTAINS, ETC. TO REMAIN. G.C. TO VERIFY AND REPLACE WITH NEW IF EXISTING TOILETS, URINALS, ACCESSORIES, EQUIPMENT & PARTITIONS ARE DAMAGED, DIRTY OR NOT WORKING CONDITIONS.
- PROVIDE NEW LAVATORY SINK AT JAN 122 TO COMPLY ADA ACCESSIBILITY.
- NEW PLASTIC LAMINATE BAR COUNTER TOP 48" AFF WITH SUPPORT. G.C. TO PROVIDE SHOP DRAWING TO TENANT & LANDLORD PRIOR TO FABRICATION FOR APPROVAL.

MATERIAL LEGEND

- EXISTING WALL TO REMAIN
- EXISTING FIRE RATED WALL TO REMAIN. CONTRACTOR TO VERIFY ALL EXISTING FIRE RATED WALLS & REPAIR AS REQUIRED TO MAINTAIN FIRE RATING
- NEW FIRE RATED WALL TO MATCH EXISTING
- NEW WALL TO UNDERSIDE OF CEILING
- NEW WALL WITH SOUND INSULATION TO UNDERSIDE OF 2ND FLOOR
- NEW WALL WITH SOUND INSULATION TO UNDERSIDE OF 2ND FLOOR - SEE NOTE 1
- NEW WALL TO 6" ABOVE CEILING
- AREA NOT IN SCOPE OF WORK
- ROOM NAME ROOM INDICATOR
- DOOR SWING INDICATOR WITH DOOR TYPE INDICATOR SYMBOL
- BUILDING STANDARD FIRE EXTINGUISHER. MUST COMPLY WITH NFPA 10, TYPE AB, OR C, 10"



A1 FLOOR PLAN
3/32" = 1'-0"

REVISION

ISSUE FOR PERMIT 4/8/16

© FRIESECHMANN DUMALA ARCHITECTURAL GROUP, P.C. 4451 East Rogers Circle, Suite 9 | Boca Raton, FL 33487 P: 561.981.8000 F: 561.981.8916 www.friegeschmann.com

PETMEDS
420 SOUTH CONGRESS AVE., SUITE 100
DELRAY BEACH, FL
FLOOR PLAN

TRIESCHMANN DUMALA architectural group
4451 East Rogers Circle | Suite 9 | Boca Raton, FL 33487
P: 561.981.8000 F: 561.981.8916
www.friegeschmann.com

TAG

A42602252
A42602244

Mohamad W. Dumala, AIA
Florida License No. AR 91893

Drawn TNG
Date 4/4/16

A1.1