


KLA CHILDCARE

1601 NORTH CONGRESS AVENUE BOYNTON BEACH, FLORIDA



MARK	DESCRIPTION	DATE
▲		
▲		
▲		
▲		
▲		
▲		
▲		
▲		
▲		
▲		

ARCHITECTURE/PLANNING
MARC WIENER, A.I.A.
AR # 000416
891 SOUTH FEDERAL HWY, STE 203
BOCA RATON, FLORIDA 33432
561-750-4111 FAX: 561-750-5298

GENERAL NOTES	PROJECT SCOPE	CODE NOTES	BUILDING CODE	CODE SUMMARY	SHEET INDEX																																													
<p>1) WRITTEN DIMENSIONS ON THESE DRAWINGS SHALL TAKE PRECEDENCE OVER SCALED DIMENSIONS. CONTRACTOR SHALL VERIFY AND BE RESPONSIBLE FOR ALL DIMENSIONS AND CONDITIONS ON THE PROJECT AND THE ARCHITECT MUST BE NOTIFIED IN WRITING OF ANY VARIATIONS FROM THE DIMENSIONS OR CONDITIONS SHOWN BY THESE DRAWINGS.</p> <p>2) ANY AND ALL REVISIONS FROM THESE DRAWINGS MUST BE APPROVED BY THE ARCHITECT PRIOR TO INSTALLATION. ONCE CONSTRUCTION HAS COMMENCED, ANY REVISIONS IN THE FIELD MUST BE APPROVED BY THE OWNER'S CONSTRUCTION REPRESENTATIVE AND THE ARCHITECT.</p> <p>3) GENERAL CONTRACTOR TO PROVIDE ALL REGULATORY AGENCY SIGNAGE NECESSARY FOR CERTIFICATE OF OCCUPANCY.</p> <p>4) GENERAL CONTRACTOR SHALL VERIFY ALL ON-SITE CONDITIONS AND NOTIFY ARCHITECT OF ANY DISCREPANCIES OR OMISSIONS PRIOR TO CONSTRUCTION.</p> <p>5) NO STRUCTURE OF ANY KIND IS TO BE CONSTRUCTED ON, OR PLACED WITHIN PUBLIC UTILITY EASEMENTS EXCEPT WOOD, WIRE OR REMOVABLE SECTION TYPE FENCING REQUIRED FOR ACCESS TO GROUND COVER INCLUDING GRASS. GENERAL CONTRACTOR SHALL BE REQUIRED TO REPLACE ANY OBSTRUCTIONS OR PLANTING THAT MUST BE REMOVED DURING THE COURSE OF MAINTENANCE, CONSTRUCTION OR RECONSTRUCTION OF THE PUBLIC UTILITIES.</p> <p>6) CONTRACTOR SHALL BE RESPONSIBLE FOR OBTAINING, COORDINATING AND SEQUENCING OF ALL INSPECTIONS AND TESTS INDICATED ON THE DRAWINGS AND SPECIFICATIONS, RECOMMENDED BY THE SOILS REPORT AND/OR REQUIRED BY ANY GOVERNMENTAL AGENCY.</p> <p>7) THE CONTRACTOR'S SUPERINTENDENT SHALL MAINTAIN ON SITE, AT TRAILER A LIST OF SPECIAL INSPECTORS (AS NEEDED) CONDUCTING INSPECTIONS ON THE PROJECT. THE LIST SHALL INDICATE THE NAME OF INSPECTOR, DATES, AND TIMES PRESENT ON THE JOB SITE AND TYPES OF INSPECTIONS CONDUCTED.</p> <p>8) NO BUILDING OR PORTION OF A BUILDING SHALL BE OCCUPIED OR USED FOR STORAGE PRIOR TO ISSUANCE OF CERTIFICATE OF OCCUPANCY. NO EXCEPTIONS. APPROVAL FOR OCCUPANCY IS ONLY GRANTED AFTER ACCEPTANCE BY PUBLIC WORKS, PLANNING, FIRE MARSHAL AND BUILDING OFFICIAL.</p> <p>9) SHOP DRAWINGS MUST BE SUBMITTED TO ARCHITECT FOR REVIEW PRIOR TO PROCEEDING WITH FABRICATION ON ITEMS REQUIRING SUCH.</p> <p>10) GENERAL CONTRACTOR SHALL PROVIDE TEMPORARY FIRE EXTINGUISHERS DURING CONSTRUCTION AND PERMANENT FIRE EXTINGUISHERS AS REQUIRED BY SPECIFICATIONS AND CODE PER TENANT IMPROVEMENT DRAWINGS.</p> <p>11) THE GENERAL CONTRACTOR SHALL SECURE AND PAY FOR ALL BUILDING PERMITS AND OTHER GOVERNMENTAL FEES, LICENSES AND INSPECTIONS NECESSARY FOR PROPER EXECUTION AND COMPLETION OF WORK UNLESS INSTRUCTED OTHERWISE.</p> <p>12) THE USE OF THE SITE SHALL BE CONFINED TO THOSE AREAS APPROVED BY THE OWNER AND THE BUILDING INSPECTOR AND CODE IN ORDER TO MINIMIZE PUBLIC EXPOSURE TO UNSAFE CONDITIONS AND TO CONTINUE THE OPERATION OF THE SURROUNDING DEVELOPMENTS.</p> <p>13) ANY AND ALL REVISIONS FROM THESE DRAWINGS MUST BE APPROVED BY SEPARATE PERMITS AND ARE REQUIRED FOR, BUT NOT LIMITED TO, PLUMBING, MECHANICAL, ELECTRICAL, SIGNS AND INTERIORS.</p> <p>14) THE CONTRACTOR AGREES THAT HE SHOULD BE HELD RESPONSIBLE FOR HAVING EXAMINED THE PROJECT SITE, THE LOCATION OF THE WORK AND FOR HAVING SATISFIED HIMSELF BASED ON HIS OWN PERSONAL KNOWLEDGE, EXPERIENCE AND PROFESSIONAL ADVICE AS TO THE CHARACTER AND LOCATION OF THE PROJECT SITE (SPACE), THE NATURE OF EXISTING CONDITIONS, THE LOCATION OF EXISTING UTILITIES, ANY OBSTRUCTIONS, AND ALL OTHER PHYSICAL CHARACTERISTICS OF THE SITE WHICH COULD AFFECT THE WORK IN ORDER THAT HE MAY INCLUDE IN HIS PRICE ALL COSTS PERTAINING TO THE WORK AND THEREBY PROVIDE FOR THE SATISFACTORY COMPLETION OF THE PROJECT WITHOUT ADDITIONAL COST TO THE OWNER OR DELAY IN THE CONSTRUCTION SCHEDULE.</p>	<p>THE SCOPE OF THIS PROJECT INVOLVES THE RENOVATION OF AN EXISTING ONE STORY RESTAURANT BUILDING TO ACCOMMODATE A NEW CHILD DAY CARE / PRESCHOOL FACILITY.</p> <p>EXISTING BUILDING TO REMAIN (NO NEW SQUARE FOOTAGE). PROJECT SCOPE INCLUDES INTERIOR IMPROVEMENTS ONLY, EXCEPT FOR CERTAIN WINDOW/DOOR REPLACEMENTS AND PLAYGROUND WALL ENCLOSURE & A.D.A. SIDEWALK.</p>	<p>LEVEL OF ALTERATION: LEVEL III</p> <p>ACCESSIBLE CODE FOR CHILDREN - COMPLIANCE SHALL BE MET - 604.9 WATER CLOSETS AND TOILET COMPARTMENTS FOR CHILDREN'S USE. WATER CLOSETS AND TOILET COMPARTMENTS FOR CHILDREN'S USE SHALL COMPLY WITH 604.9</p> <p>1008.1.10 PANIC AND FIRE EXIT HARDWARE. DOORS SERVING GROUP H OCCUPANCY AND DOORS SERVING ROOMS OR SPACES WITH AN OCCUPANT LOAD OF 50 OR MORE IN A GROUP A OR E OCCUPANCY SHALL NOT BE PROVIDED WITH A LATCH OR LOCK UNLESS IT IS PANIC HARDWARE OR FIRE EXIT HARDWARE</p> <p>FINISH RATINGS FLAME SPREAD CLASSIFICATIONS: INTERIOR FINISHES TO BE IN COMPLIANCE WITH NFPA 14.3.3.2</p> <p>EXIT SHALL BE TYPE 'A' EXIST ACCESS SHALL BE TYPE 'A' OR 'B' ALL OTHER SPACES SHALL BE TYPE 'B'</p>	<p>BASED ON STANDARD FLORIDA BUILDING CODE 2014</p> <table border="1"> <tr> <td>(PER SEC. 305.2) Group E (DAYCARE)</td> <td>REQUIRED:</td> <td>PROVIDED:</td> </tr> <tr> <td>ALLOWABLE AREA: (CHAPTER 5, TABLE 503)</td> <td>14,500 SF WITH 200% INCREASE FOR FIRE SPRINKLERS = 43,500 SF</td> <td>8,327 SF (PROJECT AREA) OVERALL EXIST. BLDG: 11,228,000 SF</td> </tr> <tr> <td>(PER SEC. 504.2)</td> <td>ALLOWABLE HEIGHT: (CHAPTER 5, TABLE 503, SECTION 504)</td> <td>2 (STORIES) / +/- 17 FT 4 IN (1 STORY)</td> </tr> <tr> <td>TYPE OF CONSTRUCTION: (CHAPTER 6)</td> <td></td> <td>TYPE III-B (SPRINKLERED)</td> </tr> <tr> <td>HRLY FIRE RATING: (TABLE 601 & 602)</td> <td>STRUCTURAL FRAME: N.A. EXT. BEARING WALL: 2-HR INT. BEARING WALL: N.A. FLOOR / CEILING: N.A. ROOF / CEILING: N.A.</td> <td>N.A. 2-HR N.A. N.A. N.A.</td> </tr> <tr> <td>MEANS OF EGRESS: (CHAPTER 10)</td> <td></td> <td></td> </tr> <tr> <td>OCCUPANT LOAD:</td> <td></td> <td>187 PEOPLE</td> </tr> <tr> <td>REQ'D MEANS OF EGRESS:</td> <td></td> <td>2 / 3</td> </tr> <tr> <td>MAX. TRAVEL DISTANCE:</td> <td></td> <td>250 FT. / 105 FT.</td> </tr> <tr> <td>MAX. DEAD END:</td> <td></td> <td>20 FT. / N/A</td> </tr> <tr> <td>MAX. COMMON PATH:</td> <td></td> <td>75 FT. / 45 FT.</td> </tr> <tr> <td>EGRESS WIDTH:</td> <td></td> <td>REG. 2" PER PERSON @ 187 PEOPLE = 374" / PROVIDED: 180"</td> </tr> <tr> <td>STAIR WIDTH:</td> <td></td> <td>55.8 IN. / 7 FT.</td> </tr> <tr> <td>(FBC 1018.2) MIN. CORRIDOR WIDTH:</td> <td></td> <td>72 IN. / 72 IN.</td> </tr> <tr> <td>MIN. CLEAR OPENING:</td> <td></td> <td>32 IN. / 32 IN.</td> </tr> </table>	(PER SEC. 305.2) Group E (DAYCARE)	REQUIRED:	PROVIDED:	ALLOWABLE AREA: (CHAPTER 5, TABLE 503)	14,500 SF WITH 200% INCREASE FOR FIRE SPRINKLERS = 43,500 SF	8,327 SF (PROJECT AREA) OVERALL EXIST. BLDG: 11,228,000 SF	(PER SEC. 504.2)	ALLOWABLE HEIGHT: (CHAPTER 5, TABLE 503, SECTION 504)	2 (STORIES) / +/- 17 FT 4 IN (1 STORY)	TYPE OF CONSTRUCTION: (CHAPTER 6)		TYPE III-B (SPRINKLERED)	HRLY FIRE RATING: (TABLE 601 & 602)	STRUCTURAL FRAME: N.A. EXT. BEARING WALL: 2-HR INT. BEARING WALL: N.A. FLOOR / CEILING: N.A. ROOF / CEILING: N.A.	N.A. 2-HR N.A. N.A. N.A.	MEANS OF EGRESS: (CHAPTER 10)			OCCUPANT LOAD:		187 PEOPLE	REQ'D MEANS OF EGRESS:		2 / 3	MAX. TRAVEL DISTANCE:		250 FT. / 105 FT.	MAX. DEAD END:		20 FT. / N/A	MAX. COMMON PATH:		75 FT. / 45 FT.	EGRESS WIDTH:		REG. 2" PER PERSON @ 187 PEOPLE = 374" / PROVIDED: 180"	STAIR WIDTH:		55.8 IN. / 7 FT.	(FBC 1018.2) MIN. CORRIDOR WIDTH:		72 IN. / 72 IN.	MIN. CLEAR OPENING:		32 IN. / 32 IN.	<p>BUILDING CODE INFORMATION</p> <p>2014 FLORIDA BUILDING CODE 5th EDITION, MECHANICAL, PLUMBING, FUEL GAS CODES</p> <p>FLORIDA FIRE PREVENTION CODE: 2013 EDITION WITH THE 2012 NFPA 101 LIFE SAFETY CODE</p> <p>2011 NATIONAL ELECTRIC CODE</p> <p>2014 FLORIDA ACCESSIBILITY CODE</p> <p>ALL STATE, FEDERAL, AND LOCAL CODES & ORDINANCES, INCLUDING CITY OF BOYNTON BEACH AMENDMENTS</p>	<p>ARCHITECTURAL</p> <p>A0.00 COVER SHEET A0.01 DEMOLITION PLAN A1.00 LIFE SAFETY PLAN A1.01 RAISED FLOORING PLAN A2.01 FLOOR PLAN A3.01 EXTERIOR ELEVATION & BUILDING SECTIONS A4.01 RESTROOM PLAN ENLARGEMENTS A4.02 RESTROOM ELEVATIONS A4.03 RR ACCESSORY SCHEDULE, NOTES & DETAILS A6.01 REFLECTED CEILING PLAN A7.01 DOOR, WINDOW & FINISH SCHEDULES A8.01 PARTITION DETAILS A8.02 DOOR AND WINDOW DETAILS A8.03 DETAILS</p> <p>STRUCTURAL</p> <p>S0.00 S0.00 S0.00</p> <p>PLUMBING</p> <p>P-1 PLUMBING SANITARY PLAN P-2 PLUMBING WATER PLAN P-3 SANITARY ISOMETRIC PLAN P-4 WATER ISOMETRIC PLAN P-5 PLUMBING SCHEDULE, NOTES AND DETAILS.</p> <p>ELECTRICAL</p> <p>E-1 1ST FLOOR POWER E-2 1ST FLOOR LIGHTING AND FA PLAN E-3 ELECTRICAL RISER, PANEL SCHEDULE AND SPECIFICATIONS</p> <p>MECHANICAL</p> <p>M-1 1ST FLOOR MECHANICAL PLAN M-2 MECHANICAL SCHEDULE, NOTES AND DETAILS</p>
(PER SEC. 305.2) Group E (DAYCARE)	REQUIRED:	PROVIDED:																																																
ALLOWABLE AREA: (CHAPTER 5, TABLE 503)	14,500 SF WITH 200% INCREASE FOR FIRE SPRINKLERS = 43,500 SF	8,327 SF (PROJECT AREA) OVERALL EXIST. BLDG: 11,228,000 SF																																																
(PER SEC. 504.2)	ALLOWABLE HEIGHT: (CHAPTER 5, TABLE 503, SECTION 504)	2 (STORIES) / +/- 17 FT 4 IN (1 STORY)																																																
TYPE OF CONSTRUCTION: (CHAPTER 6)		TYPE III-B (SPRINKLERED)																																																
HRLY FIRE RATING: (TABLE 601 & 602)	STRUCTURAL FRAME: N.A. EXT. BEARING WALL: 2-HR INT. BEARING WALL: N.A. FLOOR / CEILING: N.A. ROOF / CEILING: N.A.	N.A. 2-HR N.A. N.A. N.A.																																																
MEANS OF EGRESS: (CHAPTER 10)																																																		
OCCUPANT LOAD:		187 PEOPLE																																																
REQ'D MEANS OF EGRESS:		2 / 3																																																
MAX. TRAVEL DISTANCE:		250 FT. / 105 FT.																																																
MAX. DEAD END:		20 FT. / N/A																																																
MAX. COMMON PATH:		75 FT. / 45 FT.																																																
EGRESS WIDTH:		REG. 2" PER PERSON @ 187 PEOPLE = 374" / PROVIDED: 180"																																																
STAIR WIDTH:		55.8 IN. / 7 FT.																																																
(FBC 1018.2) MIN. CORRIDOR WIDTH:		72 IN. / 72 IN.																																																
MIN. CLEAR OPENING:		32 IN. / 32 IN.																																																
	<p>PROJECT TEAM</p> <table border="0"> <tr> <td>APPLICANT: NATIONAL EDUCATIONAL DEVELOPMENT, LLC 1820 SW 3RD AVE, STE 202 MIAMI, FLORIDA 33129 FLORIDA 33432 PHONE: (847) 814-5060</td> <td>STRUCTURAL: SPECIALTY ENGINEERING CONSULTANTS, INC. 1599 SW 30 AVE, STE 20 BOYNTON BEACH, FLORIDA PHONE: (561) 752-5440</td> </tr> <tr> <td>ARCHITECT: MARC WIENER, A.I.A. 33 S.E. 4th STREET SUITE 101 BOCA RATON, FLORIDA 33432 PHONE: (561) 750-4111 FAX: (561) 750-5298</td> <td>MEP: AMERICAN UNITED ENGINEERS INC. FORT LAUDERDALE, FL 33317 PHONE: (954) 471-8657</td> </tr> </table>	APPLICANT: NATIONAL EDUCATIONAL DEVELOPMENT, LLC 1820 SW 3RD AVE, STE 202 MIAMI, FLORIDA 33129 FLORIDA 33432 PHONE: (847) 814-5060	STRUCTURAL: SPECIALTY ENGINEERING CONSULTANTS, INC. 1599 SW 30 AVE, STE 20 BOYNTON BEACH, FLORIDA PHONE: (561) 752-5440	ARCHITECT: MARC WIENER, A.I.A. 33 S.E. 4th STREET SUITE 101 BOCA RATON, FLORIDA 33432 PHONE: (561) 750-4111 FAX: (561) 750-5298	MEP: AMERICAN UNITED ENGINEERS INC. FORT LAUDERDALE, FL 33317 PHONE: (954) 471-8657																																													
APPLICANT: NATIONAL EDUCATIONAL DEVELOPMENT, LLC 1820 SW 3RD AVE, STE 202 MIAMI, FLORIDA 33129 FLORIDA 33432 PHONE: (847) 814-5060	STRUCTURAL: SPECIALTY ENGINEERING CONSULTANTS, INC. 1599 SW 30 AVE, STE 20 BOYNTON BEACH, FLORIDA PHONE: (561) 752-5440																																																	
ARCHITECT: MARC WIENER, A.I.A. 33 S.E. 4th STREET SUITE 101 BOCA RATON, FLORIDA 33432 PHONE: (561) 750-4111 FAX: (561) 750-5298	MEP: AMERICAN UNITED ENGINEERS INC. FORT LAUDERDALE, FL 33317 PHONE: (954) 471-8657																																																	
	<p>SYMBOL INDEX</p> <ul style="list-style-type: none"> --- PROPERTY LINE ▲ ELEVATION TARGET 1A MATERIAL / FINISH / COLOR A AS.X BUILDING SECTION NO. / DRWG NO. 1 AS.X WALL SECTION NO. / DRWG NO. 1 AS.X DETAIL NO. / DRWG NO. ① DOOR NO. Ⓐ WINDOW TAG A WALL TYPE OFFICE 101 ROOM TITLE & ROOM NO. △ REVISION ☁ REVISION AREA 	<p>OCCUPANCY INFORMATION</p> <p>PREVIOUS DESIGNATION: HOTEL BANQUET/LOBBY USE OCCUPANCY - GROUP A-2 ASSEMBLY (FBC 5TH ED SEC. 303.3) TYPE III B CONSTRUCTION (FBC SEC. 602.3) (1-STORY) SPRINKLERED</p> <p>PROPOSED DESIGNATION: DAYCARE USE OCCUPANCY - GROUP E EDUCATIONAL (FBC 5TH ED SEC. 305.2) TYPE III B CONSTRUCTION (FBC SEC. 602.3) (1-STORY) SPRINKLERED</p>	<p>PLUMBING FIXTURE CALCS</p> <p>BASED ON FLORIDA BLDG. PLUMBING CODE 2014 CHAPTER 4 - TABLE 403.1</p> <table border="1"> <thead> <tr> <th>BUILDING / OCCUPANCY</th> <th>OCCUPANT CONTENT</th> <th>WATER CLOSETS</th> <th>LAVATORIES</th> </tr> </thead> <tbody> <tr> <td>STUDENTS (GROUP E)</td> <td>172</td> <td>1 / 50 PEOPLE = 4</td> <td>1 / 50 PEOPLE = 4</td> </tr> <tr> <td>STAFF (GROUP B)</td> <td>15</td> <td>1 / 25 PEOPLE = 1</td> <td>1 / 40 PEOPLE = 1</td> </tr> <tr> <td>TOTAL REQUIRED</td> <td></td> <td>5</td> <td>5</td> </tr> <tr> <td>TOTAL PROVIDED</td> <td></td> <td>7</td> <td>7</td> </tr> </tbody> </table>	BUILDING / OCCUPANCY	OCCUPANT CONTENT	WATER CLOSETS	LAVATORIES	STUDENTS (GROUP E)	172	1 / 50 PEOPLE = 4	1 / 50 PEOPLE = 4	STAFF (GROUP B)	15	1 / 25 PEOPLE = 1	1 / 40 PEOPLE = 1	TOTAL REQUIRED		5	5	TOTAL PROVIDED		7	7																											
BUILDING / OCCUPANCY	OCCUPANT CONTENT	WATER CLOSETS	LAVATORIES																																															
STUDENTS (GROUP E)	172	1 / 50 PEOPLE = 4	1 / 50 PEOPLE = 4																																															
STAFF (GROUP B)	15	1 / 25 PEOPLE = 1	1 / 40 PEOPLE = 1																																															
TOTAL REQUIRED		5	5																																															
TOTAL PROVIDED		7	7																																															
		<p>OUTDOOR REQUIREMENTS</p> <p>OUTDOOR PLAY AREA REQUIREMENTS: 172 STUDENTS x 1/2 max. x 45 SF (PER STUDENT) = 3,870 SF OUTDOOR PLAY AREA PROVIDED = 4,288 SF</p>	<p>LIFE SAFETY CODE</p> <p>BASED ON NFPA 101 - LIFE SAFETY CODE & FBC 2014</p> <p>DESCRIPTION: GROUP "E" DAYCARE - FULLY SPRINKLERED</p> <table border="1"> <thead> <tr> <th>OCCUPANCY</th> <th>REQUIRED:</th> <th>PROVIDED:</th> </tr> </thead> <tbody> <tr> <td>MINIMUM DISTANCE = 1/3 OF DIAGONAL</td> <td>123' / 3 = 41'-0"</td> <td>94'-4"</td> </tr> <tr> <td>MEANS OF EGRESS</td> <td>COMMON PATH LIMIT</td> <td>75'-0" / 45'-0"</td> </tr> <tr> <td></td> <td>DEAD-END LIMIT</td> <td>20'-0" / N/A</td> </tr> <tr> <td></td> <td>TRAVEL DISTANCE</td> <td>250'-0" / 105'-0"</td> </tr> </tbody> </table>	OCCUPANCY	REQUIRED:	PROVIDED:	MINIMUM DISTANCE = 1/3 OF DIAGONAL	123' / 3 = 41'-0"	94'-4"	MEANS OF EGRESS	COMMON PATH LIMIT	75'-0" / 45'-0"		DEAD-END LIMIT	20'-0" / N/A		TRAVEL DISTANCE	250'-0" / 105'-0"																																
OCCUPANCY	REQUIRED:	PROVIDED:																																																
MINIMUM DISTANCE = 1/3 OF DIAGONAL	123' / 3 = 41'-0"	94'-4"																																																
MEANS OF EGRESS	COMMON PATH LIMIT	75'-0" / 45'-0"																																																
	DEAD-END LIMIT	20'-0" / N/A																																																
	TRAVEL DISTANCE	250'-0" / 105'-0"																																																

SOUTH FLORIDA SCHOOLS, LLC.
1820 SW 3 AVE, STE 202
MIAMI, FLORIDA 33129

KLA CHILDCARE
FORMER 'PETE ROSE' RESTAURANT
INTERIOR IMPROVEMENT

1601 N CONGRESS AVE
BOYNTON BEACH, FLORIDA

JOB NUMBER	15118
SCALE	AS NOTED
PROJECT DATE	
ISSUE DATE	16.03.22
BID DATE	

DRAWN BY	
CHECKED BY	MW
DISCIPLINE	ARCHITECTURE
PLAN TYPE	COVER SHEET
SHEET NUMBER	A0.00

15118 - A0.00 01 - 16.03.22
PLOT : 16.04.19

© MARC WIENER, A.I.A.