



2010 FLORIDA

ACCESSIBILITY CODE

FIGURE 308.2.1

UNOBSTRUCTED

FORWARD REACH

2010 FLORIDA

ACCESSIBILITY CODE

FIGURE 304.3.2

T-SHAPED TURNING

SPACE

2010 FLORIDA

ACCESSIBILITY

CODE FIGURE 308.2.2

OBSTRUCTED HIGH

FORWARD REACH

2010 FLORIDA

ACCESSIBILITY CODE

FIGURE 305.3

CLEAR FLOOR OR

GROUND SPACE

REACH LIMITS FOR WHEELCHAIR USERS

ACCESSIBILITY CODE

FIGURE 308.3.1

UNOBSTRUCTED

SIDE REACH

30 min

2010 FLORIDA ACCESSIBILITY

CODE FIGURE 305.5

POSITION OF CLEAR FLOOR OR

GROUND SPACE

SURFACE MOUNTED MULTI-ROLL TOILET TISSUE DISPENSER CENTERLINE A 7" TO 9" IN FRONT OF WATER CLOSET AND OUTLET OF DISPENSER MIN 15" TO MAX 48" A.F.F.

REPRESENTED ACCESSORIES AND FIXTURES- MAY NOT REFLECT ACTUAL ORIENTATION/SIZE OR FEATURES

 \langle 1Aangle sanitary napkin disposal W/ inlet of disposal Min 15" to Max 48" a.f.f.

 \langle 2 \rangle 1-1/2" H.C. 36" L STAINLESS STEEL GRAB BARS W/

 $\langle 2A \rangle$ 1- $\frac{1}{2}$ " H.C. 42" L STAINLESS STEEL GRAB BARS W/

5 SEMI RECESSED PAPER TOWEL DISPENSER AND

NOTE: ACCESSIBLE KNEE SPACE PER F.A.C. FIGURES 306.2 AND 306.3. EXPOSED WATER AND

DRAIN PIPES UNDER LAVATORY SHALL BE INSULATED OR OTHERWISE CONFIGURED TO PROTECT AGAINST CONTACT. THERE SHALL BE

SHARP OR ABRASIVE SURFACES UNDER

TYPICAL ACCESSIBLE RESTROOM

 \langle $_3$ \rangle SURFACE MOUNTED SOAP DISPENSER.

 \langle $_{\mathsf{4}}$ angle MIRROR $_{\mathsf{-}}$ BOTTOM AT MAX. 40" A.F.F.

7 H.C. LAVORATORY AND FAUCET

LAVATORIES AND SINKS.

RESTROOM. SEE CONSTRUCTION PLANS.

CONCEALED MOUNTINGS.

CONCEALED MOUNTINGS.

WASTE RECEPTACLE.

 \langle 6 angle H.C. WATER CLOSET.

architects

2010 FLORIDA

ACCESSIBILITY CODE

FIGURE 302.2 CARPET

PILE HEIGHT

2010 FLORIDA

ACCESSIBILITY CODE

FIGURE 303.3

BEVELED CHANGE IN

60 min

2010 FLORIDA

ACCESSIBILITY CODE

FIGURE 305.7.2

MANEUVERING

CLEARANCE

IN AN ALCOVE,

2010 FLORIDA

FIGURE 306.2

CHANGES IN LEVEL TOE, KNEE CLEARANCE AND GRAB BAR SPACING

FRONT

APPROACH

ACCESSIBILITY CODE

TOE CLEARANCE

2010 FLORIDA

ACCESSIBILITY CODE

FIGURE 306.3

KNEE CLEARANCE

2010 FLORIDA

ACCESSIBILITY CODE

FIGURE 609.3

SPACING OF GRAB

SIDE APPROACH

2010 FLORIDA

ACCESSIBILITY CODE

FIGURE 308.3.2

OBSTRUCTED HIGH

SIDE REACH

2010 FLORIDA

ACCESSIBILITY CODE

FIGURE 305.7.1

CLEARANCE

IN AN ALCOVE. FORWARD

MANEUVERING

RODOLFO ACEVEDO AIA JAMES R. WILLIAMS AIA 7700 CONGRESS AVE. SUITE 1114 **BOCA RATON, FLORIDA 33487** TEL 561 997 1244

FAX 561 997 1675

兴 三

FLORIDA LICENSURE: AA26002219

PROJECT NO: 15155 **DESIGNED BY** DRAWN BY: TD/CE/MA

CHECKED BY SUBMITTALS: PRICING SET 04.27.2016

REVISIONS:

Accessibility **Details**