

SEE WALL STOP DETAIL SEE WALL STOP DETAIL ATTACH TO GRID ABOVE WITH #14 TEKS NEW CT-58 BY "VINYL CORP." OR EQUAL TO BE APPLIED TO EXISTING WALLS. G.W.B. EACH MIN. GREEN BOARD ON BATHROOM SIDE MTL. CHANNEL RUNNER SPACKLE NEW G.W.B. PAINTED. TENANT PROVIDED FINISH, STAINLESS STEEL, FRP. TILE OR PAINT FINISH STUDS AT 16" O.C. MAX. BASE (SEE SCHED.) CONT. MTL. CHANNEL RUNNER	6 A9.0	VALL SOFFIT DETAIL SCALE: 1 1/2"= 1'-0"
5 INTERIOR PARTITION DETAIL	(SEE SCHED.)	DETAIL ABOVE WITH #14 TEKS NEW CT-58 BY "VINYL CORP." OR EQUAL TO BE APPLIED TO EXISTING WALLS. SPACKLE MTL. CHANNEL RUNNER TENANT PROVIDED FINISH, STAINLESS STEEL, FRP, TILE OR PAINT FINISH STUDS AT 16" O.C. MAX. BASE (SEE SCHED.) CONT. MTL. CHANNEL RUNNER

SCALE : 1"= 1'-0"

\A9.0/

ROOM FINISH SCHEDULE									
MK	DOOM NAME	FLOORING	BASE	WALLS	CEILING	NOTEO			
	ROOM NAME	MATERIAL	MATERIAL	MATERIAL	MATERIAL	NOTES			
100	MAIN LOBBY	SEALED CONCRETE	6" WOOD MAPLE STAINED	PAINT	EXPOSED STRUCTURE / SUSPENDED CEILING TILE				
101	LIFE CAFE	SEALED CONCRETE	6" WOOD MAPLE STAINED	PAINT	SUSPENDED CEILING TILE / 5/8" PAINTED G.W.B.				
102	BOOK STORE	SEALED CONCRETE	6" WOOD MAPLE STAINED	PAINT	SUSPENDED CEILING TILE				
103	KITCHENETTE	SEALED CONCRETE	6" VINYL COVE BLACK	PAINT	SUSPENDED CEILING TILE				
104	MEN'S RESTROOM	PORCELAIN TILE	6" PORCELAIN TO MATCH TILE	PAINT	SUSPENDED CEILING TILE				
105	WOMEN'S RESTROOM	PORCELAIN TILE	6" PORCELAIN TO MATCH TILE	PAINT	SUSPENDED CEILING TILE				
106	STORAGE	SEALED CONCRETE	6" VINYL COVE BLACK	PAINT	SUSPENDED CEILING TILE				
107	JANITOR	SEALED CONCRETE	6" VINYL COVE BLACK	PAINT	SUSPENDED CEILING TILE				
108	AUDIO/VIDEO LIGHTS ROOM	SEALED CONCRETE	6" WOOD MAPLE STAINED	PAINT	SUSPENDED CEILING TILE				
109	BABY ROOM	SEALED CONCRETE	6" WOOD MAPLE STAINED	PAINT	SUSPENDED CEILING TILE				
110	MULTIPURPOSE ROOM	SEALED CONCRETE	6" WOOD MAPLE STAINED	PAINT	EXPOSED STRUCTURE / SUSPENDED CEILING TILE				
111	STORAGE	SEALED CONCRETE	6" VINYL COVE BLACK	PAINT	SUSPENDED CEILING TILE				
112	CLOSET	SEALED CONCRETE	6" WOOD MAPLE STAINED	PAINT	SUSPENDED CEILING TILE				
113	GREENROOM + 30" HIGH PLATFORM	LAMINATE FLOORING	6" WOOD MAPLE STAINED	PAINT	SUSPENDED CEILING TILE				
114	BATHROOM	PORCELAIN TILE	6" PORCELAIN TO MATCH TILE	PAINT	SUSPENDED CEILING TILE / 5/8" PAINTED G.W.B.				
115	MECHANICAL ROOM	SEALED CONCRETE		PAINT	EXPOSED STRUCTURE				
116	OPEN CLASSROOM	SEALED CONCRETE	6" WOOD MAPLE STAINED	PAINT	SUSPENDED CEILING TILE				


FINISHES NOTES:

ALTERNATES ALLOWED, MUST BE SUBMITTED FOR APPROVAL BY ARCHITECT AND OWNER PRIOR PROCUREMENT - IT IS THE INTENT OF THIS DESIGN TO PROVIDE A LIKE NEW FINISH THROUGHOUT TYP.

- ALL FINISHES TO BE APPROVED BY OWNER PRIOR TO PROCUREMENT AND INSTALLATION

STRUCTURE ABOV	<u>'E</u>
	NEW CEILING (SEE SCHED.) " " " " " " " " " " " " "
	1 LAYER OF 5/8" G.W.B.
	USE CEMENTITIOUS BOARD OVER 3-5/8" MTL. STUDS IN ALL WET AREAS, SHOWERS, AND AREAS TO RECEIVE TILE. SEE WALL TYPE LEGEND.
	1-5/8" METAL FURRING AT 24" O.C. MAX
	R4.1 BATT INSULATION TO UNDERSIDE OF DECK
	5/8" STUCCO/SEE SCHEDULE






TYPICAL INTERIOR PARTITION \A9.0/ SCALE : 1"= 1'-0"

<u> </u>	CONTINUOUS METAL CHANNEL RUNNER FASTENED TO UNDERSIDE OF DECK ABOVE
	TOP TRACK BRACE TO STRUCTURE ABOVE W/ MTL. FRAMING 4'-0" O.C. TYP.
E RCP	USE CEMENTITIOUS BOARD OVER 3 5/8" MTL. STUDS IN ALL WET AREAS, SHOWERS, AND AREAS TO RECEIVE TILE. SEE WALL TYPE LEGEND.
VARIES SEE	SOUND INSULATION AS INDICATED ON WALL TYPE LEGEND
VAR	SEE WALL TYPE LEGEND
	20 GA. MTL. STUDS AT 16" O.C. MAX. SEE WALL TYPE LEGEND FOR STUD WIDTH. CONT. MTL. CHANNEL RUNNER
***	CAULK BEAD AT CENTER AND EDGES OF G.W.B EACH SIDE AS NECESSARY FOR MIN. S.T.C. RATING. RATED PER WALL TYPE SCHED.

2 INTERIOR SOUND INSULATED A9.0 PARTITION DETAIL SCALE : 1"= 1'-0"



WALL SCHEDULE FIRE RATING WALL THK. SECTION ASSEMBLY NUMBER 5/8" STUCCO (ONE SIDE ONLY) OVER 7 5/8" CONCRETE MASONRY UNIT 8 7/8" INTERIOR 7 5/8" SPLIT FACE CONCRETE MASONRY UNIT 8 7/8" EXTERIOR 5/8" STUCCO OVER 7 5/8" CONCRETE MASONRY UNIT WITH R4.1 REFLECTIVE FOIL INSULATION ON 1-5/8" GALVANIZED STEEL STUD ◎ 24" 10 1/2" O.C. WITH 5/8" GYP BD. DENSSHEILD TILE BAKER BOARD AT WET AREAS INTERIOR INTERIOR 7 5/8" CONCRETE MASONRY UNIT ON 1-5/8" GALVANIZED STEEL STUD @ 24" O.C. WITH 5/8" GYP BD. 9 7/8" 2 HR. UL U905 DENSSHEILD TILE BAKER BOARD AT WET AREAS INTERIOR INTERIOR 7 5/8" CONCRETE MASONRY UNIT ON 1-5/8" GALVANIZED STEEL STUD @ 24" O.C. WITH 5/8" GYP BD. 9 7/8" DENSSHEILD TILE BAKER BOARD AT WET AREAS INTERIOR 5/8" GYP. BD. ON 1-5/8" GALVANIZED STEEL STUD @ 24" O.C. OVER 7-5/8" CONCRETE MASONRY UNIT AND 1-5/8" GALVANIZED STEEL STUD @ 12 1/8" 24" O.C. WITH 5/8" GYP BD. DENSSHEILD TILE BAKER BOARD AT WET AREAS 5/8" STUCCO OVER 7 5/8" CONCRETE MASONRY UNIT WITH R4.1 REFLECTIVE FOIL INSULATION ON 3-5/8" GALVANIZED STEEL STUD @ 24" 12 3/8" --O.C. WITH 5/8" GYP BD. 1 LAYER 5/8" GYP. WALL BD. ON BOTH SIDES ON 3-5/8" GALV. STEEL STUD (25 GA.) @ 24" O.C. 4 7/8" DENSSHEILD TILE BAKER BOARD AT WET AREAS PROVIDE SOUND ACOUSTICAL ATTENUATION BLANKET AT MULTIPURPOSE ROOMS, BATHROOMS AND GREENROOM 1 LAYER 1/2" GYP. WALL BD. ON BOTH SIDES ON 6" GALV. STEEL STUD (25 GA.) @ 24" O.C. DENSSHEILD TILE BAKER BOARD AT WET AREAS PROVIDE SOUND ACOUSTICAL ATTENUATION BLANKET AT MULTIPURPOSE ROOMS, BATHROOMS AND GREENROOM DOUBLE-WALL PARTITION: I LAYER OF 5/8" GYP. WALL BD. OVER ON EXPOSED SIDES OF TWO (2) 3-5/8" MTL. STUDS (25 GA.) @ 24" O.C. AND 1 LAYER OF 5/8" GYP. WALL BD. - DENSSHEILD TILE BAKER BOARD AT WET AREAS PROVIDE SOUND ACOUSTICAL ATTENUATION BLANKET - SEE FINISH SCHEDULE 1 LAYER 5/8" GYP. WALL BD. TYPE "X" ON BOTH SIDES TO UNDERSIDE OF DECK ABOVE ON 3-5/8" GALV. STEEL STUD (25 GA.) @ 24" O.C. DENSSHEILD TILE BAKER BOARD AT WET AREAS PROVIDE SOUND ACOUSTICAL ATTENUATION BLANKET

WALL TYPE NOTES :


STRUCTURE ABOVE

- CONTRACTOR RESPONSIBLE TO COORDINATE WITH ALL PRODUCT MFR'S TO ENSURE PROPER INSTALLATION OF ALL PRODUCTS FOR INTENDED APPLICATION. - PARTITION SYSTEMS TO WITH STAND A LOAD OF 5 P.S.I. APPLIED PERPENDICULAR TO PARTITION, WITH A MAX. DEFLECTION NOT EXCEEDING L/240 OF THE SPAN
- ALL CMU WALLS TO BE TYPE 3A UNLESS NOTED OTHERWISE ALL STEEL STUD WALLS TO BE TYPE 7 UNLESS NOTED OTHERWISE PROVIDE THROUGH-PENETRATION FIRESTOP SYSTEM AND THROUGH PENETRATE FIRESTOP DEVICES, SEALANT AND RELATED PRODUCTS FOR FIRE—RATED FLOOR AND WALL PENETRATIONS (AND SEALING TOP OF RATED WALLS TO DECK OR BOTTOM OF EX. CONC. SLAB). THIS WORK ALSO INCLUDES FIRESTOPPING AT PENETRATIONS THROUGH FIRE
- PROVIDE ACOUSTICAL SEALANT AT ALL WALLS WITH SOUND ATTENUATION BLANKETS. PROVIDE CONSTRUCTION IN ACCORDANCE WITH THE UL DESIGN NUMBER INDICATED DOORS NOT OTHERWISE DIMENSIONED IN CMU WALLS SHALL BE 8" FROM
- ROUGH DOOR OPENING. - REFER TO LIFE SAFETY PLAN FOR FIRE RATING.
- USE CEMENTITIOUS BOARDS IN ALL WET AREAS AND ON ALL WALLS TO RECEIVE WALL TILE - ALL EXTERIOR WALLS HAVE 5/8" SMOOTH FINISH STUCCO - PROVIDE R-30 INSULATION AT ALL ROOF CEILINGS

CAULK BEAD AT CENTER AND EDGES OF G.W.B EACH SIDE AS NECESSARY

FOR MIN. S.T.C. RATING.

- PROVIDE R-4.1 INSULATION AT ALL EXTERIOR WALLS UNLESS NOTED



SMOKE PARTITION DETAIL \A9.0/ SCALE : 1"= 1'-0"

7 TYPICAL SMOKE PARTITION

AA26000640

E FELLOWSHIP VEST SAMPLE ROAD SPRINGS, FL. 33065

REVISIONS

ALL IDEAS, DESIGNS, ARRANGEMENTS, AND PLANS

INDICATED OR REPRESENTED BY THIS DRAWING ARE

WHERE CREATED, EVOLVED, AND DEVELOPED FOR

FOR ANY PURPOSE WITHOUT WRITTEN PERMISSION OF RWB / LINARES ARCHITECTURE, INC.

PROJECT. NONE OF SUCH IDEAS, DESIGNS, ARRANGEMENTS, AND PLANS SHALL BE USED BY, OR DISCLOSED TO ANY PERSON, FIRM, OR CORPORATION

14-067

PROJECT # <u>DATE</u> 05-19-16

SHEET #

JUAN C. LINARES