



**SECOND FLOOR
SANITARY PLAN**

1/4"=1'-0"

- KEY NOTES**
- ① 3" SANITARY LINE TO FLOOR BELOW. PROVIDE CLEANOUT AT BASE OF RISER.
 - ② OVERFLOW SCUPPER. SEE ARCHITECTURAL PLANS FOR EXACT SIZE AND LOCATION.
 - ③ 3" ROOF DRAIN LINE TO BELOW. PROVIDE CLEANOUT AT BASE OF RISER.
 - ④ 3" EMERGENCY OVERFLOW DRAIN LINE TO BELOW. MUST TERMINATE AT VISIBLE HEIGHT ABOVE GRADE.

ISSUED FOR PERMIT ONLY		12-01-16
KAMM CONSULTING PROJECT # 2016-0807		
PROJECT MANAGER: JOHN MAYR		
1408 Orange Avenue Fort Pierce, Florida 34950 Phone 772.595.1744 Fax 772.595.1745 jmayr@kammconsulting.com Certification of Authorization #8189		
PRINCIPAL	date	12-01-16
Brady L. Brown	Florida License #58232	signed

SANITARY PLAN SECOND FLOOR

RODOLFO ACEVEDO AIA
 JAMES R. WILLIAMS AIA
 7700 CONGRESS AVE.
 SUITE 1114
 BOCA RATON, FLORIDA 33487
 TEL 561 997 1244
 FAX 561 992 1675
 JAMES R. WILLIAMS - AR0017581
 RODOLFO ACEVEDO - AR0016324

211 E OCEAN AVENUE
 BOYNTON BEACH, FL 33435

FLORIDA LICENSURE:
 AA26002219

PROJECT NO: 15196
 DESIGNED BY: JW
 DRAWN BY: RC/MA/CE
 CHECKED BY: JW
 SUBMITTALS:
 PERMIT SET 12-02-2016

REVISIONS: