



1 SEQUENCE 1 - LIFE SAFETY PLAN
 LS-1 SCALE: 3/16" = 1'-0"

CODE REFERENCES:

FLORIDA BUILDING CODE, 5TH EDITION (2014) SPECIFIC CODE
 FLORIDA EXISTING BUILDING CODE, 5TH EDITION (2014)
 FLORIDA FIRE PREVENTION CODE FIFTH EDITION, EFFECTIVE DECEMBER 31, 2014

GENERAL NOTES:

FLORIDA FIRE PREVENTION CODE FIFTH EDITION EFFECTIVE DECEMBER 31, 2014 OCCUPANCY CLASSIFICATION: GROUP 'A' ASSEMBLY

TOTAL AREA:

AREA OF RENOVATION: 2,760.34 S.F. = 11 OCCUPANTS
 KITCHEN AREA: 1949.28 SQ. FT.
 RECEIVING/UTILITY/STORAGE AREA: 811.06 SQ. FT.

OCCUPANT LOAD CALCULATIONS: FBC, TABLE 1004.1.2

ALLOWABLE FLOOR AREA:
 KITCHEN - 200 SQ. FT./PERSON
 RECEIVING/UTILITY/STORAGE - 300 SQ. FT./PERSON

NUMBER OF OCCUPANTS PER SQUARE FOOT:
 KITCHEN 1949/200 = 10
 RECEIVING/UTILITY/STORAGE 811/300 = 3

TRAVEL DISTANCE TO EXITS
 MAXIMUM TRAVEL DISTANCE TO AN EXIT (PER FBC TABLE 1016.2) GROUP 'A' OCCUPANCIES IS 200'

FIRE EXTINGUISHERS:

- FIRE EXTINGUISHER DRY CHEMICAL TYPE: CAST STEEL TANK, WITH PRESSURE GAUGE UL-RATED 2-A:10 B.C. MOUNTED TOP AT 5 FT ABOVE FINISH FLOOR. INSTALL FIRE EXTINGUISHERS IN ACCORDANCE WITH NFPA-10 2014 EDITION
- FIRE EXTINGUISHER LOCATIONS SHALL BE BASED ON ORDINARY (MODERATE) HAZARD OCCUPANCY PER NFPA 101 CHAPTER 5 WHERE ALL EXTINGUISHERS SHALL HAVE A MINIMUM RATING WHICH IS SHOWN ON THE DRAWING.
- MAXIMUM TRAVEL DISTANCE TO FIRE EXTINGUISHER IS 75 FT.
- ALL FIRE ALARM DEVICES ARE EXISTING AND TO REMAIN UNMODIFIED.
- EXISTING FIRE EXTINGUISHERS ARE TO REMAIN.

LEGEND:

- PATH OF EXIT TRAVEL
- EXIT SIGN, (EX) EXISTING, (N) NEW
- FIRE EXTINGUISHER WALL MOUNTED, (EX) EXISTING
- FIRE ALARM HORN/STROBE, (EX) EXISTING, (N) NEW, (RE) RELOCATED
- FIRE ALARM STROBE, (EX) EXISTING, (N) NEW, (RE) RELOCATED
- FIRE ALARM PULL STATION

NOTE:
 1. ALL FIRE ALARM DEVICES ARE EXISTING AND TO REMAIN UNMODIFIED.
 2. EXISTING FIRE EXTINGUISHERS ARE TO REMAIN.

PROJECT: NORTH HOMELESS ASSISTANCE CENTER KITCHEN RENOVATION
 1700 BLOUNT ROAD, POMPANO BEACH, FL 33069
 FILE NO.: 19012
 DATE: ZL
 DRAWN BY: ZL
 CHECKED BY: TM
 SHEET NUMBER: SQ1-LS
 SHEET TITLE: SEQUENCE 1 - LIFE SAFETY PLAN
 STAMP: NOT FOR CONSTRUCTION ISSUED FOR PERMIT RESUBMITTAL DATE: 10/10/2016
 REVISIONS:

NO.	DESCRIPTION	DATE	BY
1	CHD COMMENTS	03/07/2016	ZL
2	CHD COMMENTS	06/21/2016	TAM

SINGER ARCHITECTS
 915 NE 15th St, Suite 200
 Pompano Beach, FL 33069
 Phone: (954) 937-3138 • Fax: (954) 937-3139
 License: CC00089 • www.singerarchitects.com
 © 2015 by Russell and Dawson LLC