



LED LIGHTING NOTE: * LED LIGHT CIRCUITS TO HAVE SEPARATE NEUTRAL

<u>KEY NOTES:</u> WIRE CIRCUIT THRU TIMECLOCK FOR COMPLIANCE W/ THE FLORIDA BUILDING CODE 2010 - ENERGY CONSERVATION. SECTION 505.2.2. PER SEC. 505.2.1 ALL ENCLOSED ROOMS BY WALLS OR FLOOR-TO- CEILING PARTIITONS SHALL HAVE AT LEAST ONE CONTROL DEVICE TO INDEPENDENTLY CONTROL THE GENERAL LIGHTING WITHIN THAT SPACE.
--



2661.2	TOTAL TENANT WATTS ALLOWED	TOTAL TI	
36	0.9	40	UNISEX RRM
22.5	1.5	15	CLOSET W/AHU
1377.6	1.4	984	WAREHOUSE
111.1	1.1	101	OFFICE #2
101.2	1.1	92	OFFICE #3
36	0.9	40	UNISEX RRM
89.7	1.3	69	KITCHENETTE
170.5	1:1	155	STEVE
45	15	8	SERVER
E6	0.5	186	HALLWAY
122.1	:1	11	OFFICE #1
102.3	:1	93	RECEPT
157.3	13	121	LOBBY
196.9	11	179	TAMMY
) TOTAL WATTS FOR SPACE	WATTS/SQ. FT. ALLOWED	TOTAL SPACE SQ. FT.	SPACE
	TOTAL WATTS ALLOWED	101	
1268.2	TOTAL TENANT WATTS USED	ТОТ	
28	28	-	6
660	110	6	F
25.2	25.2	-	D
22.8	11.4	2	C
156	26	6	B
376.2	11.4	33	>
TOTAL WATTS PER TYPE	WATTS PER FIXTURE	QUANTITY	FIXTURE TYPE
	TOTAL WATTS USED		
PER FLORIDA BUILDING CODE SECTION 2010 505.5.3-INTERIOR LIGHTING POWER DENSITIES USING THE SPACE-BY-SPACE METHOD.	UILDING CODE SECTION 2010 505.5.3-INTERIOR LIGH DENSITIES USING THE SPACE-BY-SPACE METHOD.	Building Code Sec	PER FLORIDA B

 Lumin	Luminaire Schedule	
Label	Arrangement	Description
 A	SINGLE	DMF DRD2M7930 5INCH ROUN
B	SINGLE	PRESCOLITE LC6LED120-6LCL
C	SINGLE	DMF DRD2M7930 5INCH ROUN
D	SINGLE	COLUMBIA LAW4-40LW-EU
F	SINGLE	COLUMBIA LHR4-254G-GW15-E
Ð	SINGLE	TECH 700BCLUN24S
Η	SINGLE	PROGRESS P5511 WITH LED L
EM	N/A	EVENLITE- TCS SERIES (W/ MI
Х	N/A	EVENLITE- TLTEMR1/2UW (W/



Sc. 1/4"





CHARD BRAUTIGAN, ARCHITECT AROO11073

REVISIONS

AHU-1 CU-1 WAHU-1 WCU-1

≻

240/1/60

, UN

⊳

240/1/60

THWN CU 1/2" C. 20A

2P §8 2P 28

2 # 6'S 1 # 10 GND

THWN CU 3/4" C.

60A

3A.	
PN.	
371	
4.0	

Properties, LLC 1302 Wallace Drive Delray Beach, FL 33444 Kelly Building for: Schmidt Investment

PRELI NOTE: ANY DESIGN THESE PLANS ENGINE ANY NULL AND VOI INSTALLATION ASSOCIATED ORIGINAL DESI THE COMPARY FINAL BID TO IN ASSOCIATES In Consulting Engineers Certificate #000 Robert F. Formica, P.E. E-mail: bobf@formicaer IRNING THE SYSTEM TO ITS E THE RESPONSIBILITY OF PROVED THESE CHANGES ERMIT COMMENTS. 33431 (561)

RESTRM RECEPT

1/2 1/2 1/2

CPTS

SIEMENS OR EQUAL

WATER HEATER

LOAD

POLE

AMPS

CKT.

BUS

R

AMPS

РО

COND.

LOAD

AHU-1

TELE BD WAREHSE RECEPTS

<u>()</u>

5.0

5.0 P

x4.1

x4.1

PANE

LOAD CENTER

Θ

PANEL RATING POS 47

225

Í

ESIGN CHANGES, TO THE SYSTEM COVERED BY E PLANS WITHOUT PRIOR APPROVAL OF THE ER WHO PREPARED THESE PLANS, WILL AND VOID THESE OLANG AND THE PS. WILL
--

RICK BRAUTIGAN 102 5 S D I x Le HIghway Deiray Beach, FL 3 3 4 8 3 Ph: 561.272.9086 Fx: 561.272.5636

IND SMOOTH CLED735K8 IND SMOOTHWET -EHL-WCB LAMP IN. 90 MINUTE BATTERYBACK-UP) / MIN. 90 MINUTE BATTERYBACK-UP) Lum. Watts 11.4 26 11.4 25.2 25.2 110 28 28 28

MARKS & KEY NOTES: MAIN LUGS ONLY. WIRED THRU TIME CLOCK TO COMPLY WITH F CTION 502.2. VERIFY ELECTRICAL REQUIREMENTS PRIOR T LED CIRCUIT TO HAVE SEPARATE NEUTRAL. LED CIRCUIT TO HAVE SEPARATE NEUTRAL. PRIOR PRIOR ELECTRI PRIOR CONTINENT ELECTRI PRIOR CONTINENT PRIOR	CTRICAL POWER RISER
--	---------------------