ATTACHMENT: 1" TYPE 'S' SELF-TAPPING DRYWALL SCREWS SPACED MAX 12" O.C. ALONG SUPPORTS.
(TYP AT WALLS & CEILINGS)
FIELD: 12" O.C. FOR STUD SPACING @ 24" O.C.
16" O.C. FOR STUD SPACING @ 16" O.C.
(NOT TO EXCEED 12" O.C. FOR ANY CEILING APPLICATION)

DRYWALL ATTACHMENT NOTES:
GYP. BD. APPLIED AT RIGHT ANGLES OR PARALLEL TO EACH SIDE OF METAL STUDS. STAGGER ALL VERTICAL AND HORIZONTAL JOINTS 24" O/C EACH SIDE AND OPPOSITE SIDES

STUD HEIGHT LIMITS
G.C TO PROVIDE STUD LIMITING HEIGHT DATA FOR REVIEW & APPROVAL ALONG WITH METAL STUD SUBMITTALS. VERIFY EXISTING HEIGHTS AND ALL PROPOSED FRAMING CONDITIONS PRIOR TO BID OR START OF ANY WORK.



10 WALL TYPE 10 (C.M.U. INFILL AT OPENING) 3" = 1'-0"



7 PARTITION TYPE 7 (6" STANDARD PARTITION) 3" = 1'-0"



4 PARTITION TYPE 4 (6" SOUND PARTITION) 3" = 1'-0"



1 PARTITION TYPE 1 (4" SMOKE PARTITION) 3" = 1'-0"



11 WALL TYPE 11 (FURRING AT EXIST. C.M.U. WALL) 3" = 1'-0"



8 PARTITION TYPE 8 : UL NO. U-499 (1-HR RATED SHAFTWALL) 3" = 1'-0"



5 PARTITION TYPE 5 (BUILDOUT AT CMU) 3" = 1'-0"



2 PARTITION TYPE 2 (6" SMOKE PARTITION) 3" = 1'-0"



12 WALL TYPE 12 (FURRING AT EXIST. C.M.U. WALL) 3" = 1'-0"



9 PARTITION TYPE 9 : UL NO. U-499 (INFILL AT OPENING) 3" = 1'-0"



6 PARTITION TYPE 6 (4" STANDARD PARTITION) 3" = 1'-0"



3 PARTITION TYPE 3 (4" SOUND PARTITION) 3" = 1'-0"

©MARC WIENER, A.I.A.



KEY PLAN

MARK	DESCRIPTION	DATE

REVISION BLOCK

ARCHITECTURE/PLANNING
MARC WIENER, A.I.A.
AR # 0010416
851 SOUTH FEDERAL HWY, STE 205
BOCA RATON, FLORIDA 33432
561-750-4111 FAX: 561-750-5298

STATE OF FLORIDA MARC WIENER 10416 REGISTERED ARCHITECT

ARCHITECT

SOUTH FLORIDA SCHOOLS, LLC.
1820 SW 3 AVE. STE 202
MIAMI, FLORIDA 33129

OWNER IDENTIFICATION

KLA CHILDCARE
FORMER 'PETE ROSE' RESTAURANT
INTERIOR IMPROVEMENT

1601 N CONGRESS AVE
BOYNTON BEACH, FLORIDA

BUILDING

JOB NUMBER	15118
SCALE	AS NOTED
PROJECT DATE	
ISSUE DATE	16.03.22
BID DATE	

PROJECT

DRAWN BY	BB
CHECKED BY	MW
DISCIPLINE	ARCHITECTURE
PLAN TYPE	PARTITION DETAILS
SHEET NUMBER	A8.01

SHEET