



DESIGN PARAMETERS

CODE EDITION - FLORIDA BUILDING CODE 2014
ASCE 7-10

- 1) BASIC WIND SPEED (WIND VELOCITY) = 170 MPH (VULT)
132 MPH (VASD)
- 2) RISK CATEGORY II
- 3) BUILDING DESIGN AS ENCLOSED
- 4) WIND IMPORTANCE FACTOR 1.0
- 5) INTERNAL PRESSURE COEFFICIENT = ±.18
- 6) EXPOSURE = 'C'
- 7) NOMINAL WIND LOAD AS PER 1603.1.4 F.B.C.

REVISIONS

1.	
2.	
3.	
4.	
5.	
6.	
7.	
8.	
9.	
10.	

ALL IDEAS, DESIGN, ARRANGEMENTS, AND PLANS INDICATED OR REPRESENTED BY THIS DRAWING ARE OWNED BY AND PROPERTY OF THIS OFFICE, AND WHERE CREATED, INVENTED, AND DEVELOPED FOR USE ON, AND IN CONNECTION WITH THE SPECIFIED PROJECT, NONE OF WHICH DESIGN, ARRANGEMENTS, AND PLANS SHALL BE USED BY OR DISCLOSED TO ANY PERSON, FIRM, OR CORPORATION FOR ANY PURPOSE WITHOUT WRITTEN PERMISSION OF RWB LINARES ARCHITECTURE, INC.

LIFE FELLOWSHIP
 11401 WEST SAMPLE ROAD
 CORAL SPRINGS, FL. 33065

1600 SOUTH DIXIE HWY., SUITE 400
 BOCA RATON, FLORIDA, 33432
 PHONE 561-391-0051 FAX 561-391-0085
 EMAIL mail@rwb-arch.com

PROJECT # 14-067
 PLOT DATE 04-20-16
 DATE 10-20-14
 SHEET #

JUAN C. LINARES

All N. Yemencio, P.E.

CERTIFICATE OF AUTHORIZATION # 8495

design engineering

& supply, Inc.

2799 N.W. Boca Raton Blvd. Suite # 111 Boca Raton, FL 33431
 PHONE : (561)705-2930 FAX : (561)451-2811

S-5.0

AA26000640