

1 FIRST FLOOR PLAN  
SCALE: 1/8" = 1'-0"

**LEGEND**

- PARTITION WALL - REFER TO PLAN FOR WALL WIDTH AND WALL TYPE 1 ON A6.2
- SOUND PARTITION WALL - REFER TO PLAN FOR WALL WIDTH AND WALL TYPE 1A & 1B ON A6.2
- INTERIOR CMU BLOCK WALL - REFER TO PLAN FOR WALL WIDTH AND WALL TYPES 2 & 3 ON A6.2
- EXTERIOR CMU BLOCK WALL - REFER TO PLAN FOR WALL WIDTH AND WALL SECTIONS ON A6.1
- NEW 1 HOUR FIRE RATED CMU BLOCK WALL - REFER TO PLAN FOR WALL WIDTH
- NEW 42" HIGH KNEEWALL - 3/8" STUDS & 5/8" GWB ALL EXPOSED SIDES
- CEILING ABOVE
- WINDOW TYPE REFER TO SHEET A6.2
- PARTITION TYPE REFER TO SHEET A6.2
- DOWN SPOUT

**FLOOR PLAN GENERAL NOTES**


- A. ALL EXTERIOR BUILDING DIMENSIONS ARE TO EXTERIOR FACE OF BLOCK UNO.
- B. ALL PARTITION TYPES ARE TYPE 1 UNO, REFER TO A6.2

**FLOOR PLAN KEY NOTES**

- 1 MOVABLE PARTITION. REFER TO 1/A6.1 FOR SPECIFICATION.
- 2 MOVABLE PARTITION STACK.
- 3 MOVABLE PARTITION PASS-THROUGH DOOR.
- 4 FENCE. REFER TO A6.10.
- 5 SURFACE MOUNTED FLAT SCREEN MONITOR (MONITOR BY OWNER) PROVIDE ADEQUATE BLOCKING AS REQUIRED.
- 6 ROOF HATCH. REFER TO 6/A6.1 FOR SPECIFICATION. PROVIDE WALL MOUNTED ACCESS LADDER PER 7/A6.1.
- 7 (3) WALL MOUNTED SHELVES. 4'-0" AFF. TO THE BOTTOM OF BOTTOM SHELF. SIZE: 5'-0" WIDE X 12" DEEP W/ METAL BRACKETS. PROVIDE BLOCKING AS REQUIRED.
- 8 LINE OF CANOPY ABOVE.
- 9 LINE OF CEILING ABOVE.
- 10 JANITOR SINK. REFER TO PLUMBING DRAWINGS FOR SPECIFICATION.
- 11 DECORATIVE SCREEN.
- 12 ROOF BELOW.
- 13 ROOF TOP A/C UNIT. REFER TO MECHANICAL DRAWINGS FOR SPECIFICATION.
- 14 EXHAUST FAN. REFER TO MECHANICAL DRAWINGS FOR SPECIFICATION.
- 15 WALKWAY PAD. INSTALL PER MANUFACTURER'S RECOMMENDATION.
- 16 ROOF / OVERFLOW ROOF DRAIN. TYP.
- 17 AREA OF REFUGE.
- 18 CONTINUOUS ALUMINUM GUTTER (REFER TO 1/A6.1 FOR INSTALLATION) BASIS OF DESIGN.
 

MANUFACTURER:	NORTHCLAD
SERIES:	GS 800
SIZE:	6" X 4"
COLOR:	TO MATCH FASCIA
- 19 MECHANICAL UNIT SCREEN. PROVIDE 4" STEEL TUBE POSTS AS INDICATED ON STRUCTURAL DRAWINGS.
- 20 PROVIDE ACCESS HATCH IN METAL DECK BELOW.
- 21 LOCKERS. REFER TO 4/A6.2.
- 22 LIGHTNING PROTECTION BY SPECIALTY ENGINEER. REFER TO 2/A6.0 FOR CONNECTION NOTES AND DETAILS.

207 SIXTH STREET  
WEST PALM BEACH, FLORIDA 33401  
ph: 561.684.6844 • gliddenspina.com  
FLIC # A2620289




Architecture - Interior Design  
Keith M. Spina # A613019

New Building For:  
**OPPORTUNITY INC.**  
EARLY LEARNING CENTER  
4171 Westgate Avenue  
Palm Beach County, Florida

THESE DRAWINGS ARE FOR THE EXCLUSIVE USE OF GLIDDEN SPINA + PARTNERS, INC. AND MAY NOT BE DUPLICATED, REPRODUCED OR USED IN ANY MANNER WITHOUT THE EXPRESS WRITTEN CONSENT OF GLIDDEN SPINA + PARTNERS, INC. ALL RIGHTS RESERVED.

Revisions:


Project no: 14224  
Date: 09.09.16  
Drawn by: WS  
Project Architect: WC / DR



FIRST FLOOR PLAN  
**A1.1**  
09.09.16 BID/PERMIT