



**FIRST FLOOR  
SANITARY PLAN**  
1/4"=1'-0"

- KEY NOTES**
- ① 4" SANITARY LINE. SEE CIVIL FOR CONTINUATION.
  - ② SEE CIVIL FOR GREASE TRAP SIZING AND EXACT LOCATION.
  - ③ 3" SANITARY LINE FROM FLOOR ABOVE. PROVIDE CLEANOUT AT BASE OF RISER.
  - ④ 3" ROOF DRAIN LINE FROM ABOVE.
  - ⑤ 3" EMERGENCY OVERFLOW DRAIN LINE FROM ABOVE. MUST TERMINATE AT VISIBLE HEIGHT ABOVE GRADE.

ISSUED FOR PERMIT ONLY		12-01-16
KAMM CONSULTING PROJECT # 2016-0807		
PROJECT MANAGER: JOHN MAYR		
1408 Orange Avenue Fort Pierce, Florida 34950 Phone 772.595.1744 Fax 772.595.1745 jmayr@kammconsulting.com Certification of Authorization #8189		
PRINCIPAL Brady L. Brown	Florida License #58232	12-01-16 date signed

**AW architects**

RODOLFO ACEVEDO AIA  
JAMES R. WILLIAMS AIA

7700 CONGRESS AVE.  
SUITE 1114  
BOCA RATON, FLORIDA 33487

TEL 561 997 1244  
FAX 561 992 1675

JAMES R. WILLIAMS - AR0017581  
RODOLFO ACEVEDO - AR0016324

211 E OCEAN AVENUE  
BOYNTON BEACH, FL 33435

FLORIDA LICENSURE:  
AA26002219

PROJECT NO: 15196  
DESIGNED BY: JW  
DRAWN BY: RC/MA/CE  
CHECKED BY: JW

SUBMITTALS:  
PERMIT SET 12-02-2016

REVISIONS:

SANITARY PLAN FIRST FLOOR